




研 磨 系 统

POLISHING COMPOUND

GROWING TOGETHER WITH U



Content · 目录





Company Profile
公司简介

01 - 05



Features of Polishing Compound
研磨腊性能一览表

06 - 11

<p>TRIPOLI · 黄腊 ⁰⁶</p> <p>Rough Polishing 粗磨</p> 	<p>CUTTER · 紫腊 ⁰⁷</p> <p>Medium Polishing 中磨</p> 	<p>GREEN LIME · 青腊 ⁰⁸</p> <p>Bright Polishing 精磨</p> 	<p>WHITE LIME · 白腊 ⁰⁹</p> <p>Bright Polishing 精磨</p> 	<p>BLUE LIME · 蓝腊 ¹⁰</p> <p>Super Mirror Polishing 超精磨</p> 
--	--	--	--	--



Uyemura's polishing compound
can be applied to the surface treatment
in different business

上村抛光腊适合各行业之表面处理使用

12 - 14



Information for Polishing
研磨助剂资料

15

Uyemura Hong Kong

上村（香港），品质至上，业内翘楚

Since its inception in 1986, Uyemura Hong Kong, a wholly-owned subsidiary of the global Uyemura Group listed in Tokyo of Japan, has maintained a proven track record of supplying plating and surface-finishing chemicals and facilities to mainland China and other Asian markets.

作为日本东京上市的国际企业，上村集团的全资附属公司，上村（香港）自1986年成立以来一直为中国内地及亚洲其他市场提供表面处理化学药品及设备，成绩斐然。





A QUALITY LEADER
IN SURFACE
FINISHING TECHNOLOGY
& SOLUTIONS

稳居表面处理技术及解决方案的领导地位



CONFORMING TO INTERNATIONAL STANDARDS

Leading supplier of surface-finishing chemicals and systems.



Uyemura Hong Kong

上村(香港), 品质至上, 业内翘楚



Quality Management
ISO 9001:2015



Environmental Management
ISO 14001:2015



Quality Management
ISO 9001:2015

Uyemura Hong Kong offers a wide range of products in three major categories – surface finishing chemicals; polishing compounds; as well as plating and surface finishing equipment – manufactured from its 26,000 sq-metre factory in Shenzhen, Uyemura (Shenzhen) Co., Ltd. Under Japanese-style management, our factory processes and practices, combined with an extensive depth of experience and market knowledge we have acquired over the years, enable us to provide a wide range of services from chemical analysis to design, pre-production samples or prototyping to full volume production, conforming to country-specific and international standards.

Customised to the technical requirements of each target industry, including semiconductors and printed circuit boards; automobiles, electronics, decorative plating and others, our products are backed by ISO 9001:2015 and ISO 14001: 2015 accreditations. Efforts have been taken to ensure that their quality is aligned with the health, safety, environmental and other compliance requirements of major export markets around the world.

上村(香港)提供的产品多元化, 主要分为三大类别——表面处理化学药品、研磨剂以及电镀设备, 全部经由位于深圳占地26,000平方米的自设厂房—上村工业(深圳)有限公司生产。工厂根据日本的管理模式进行加工及营运, 加上多年来所累积广阔、深厚的经验及市场知识, 足以能够提供各种各样的服务: 从化学分析到样板、试产直至批量生产, 以符合国际标准。

上村的产品已取得 ISO 9001:2015 及 ISO 14001:2015 认证, 并根据每个目标行业的技术要求进行定制, 包括半导体和印刷电路板、汽车、电子设备、装饰镀层等。此外, 我们一直致力确保产品品质符合全球主要出口市场的健康、安全、环境及其他合规要求。

Leading supplier of surface-finishing chemicals and systems

领先的表面精加工化学品和系统供应商

Uyemura Hong Kong leverages on the sophisticated R & D know-how and technologies of its parent company to meet the ever-evolving needs of industry by way of constant product innovation. Committed to providing end to end value-added services, our company operates a network of technical and service centres in Shenzhen, Zhuhai, Shanghai, Suzhou and Yantai, with plans for its further expansion to other parts of China.

Offering comprehensive product development support and technical services, we help our customers reduce cost and meet all quality requirements before, during and after the production cycle. Our experienced engineers and technicians are always on hand to provide them with onsite consultancy, technical services and troubleshooting support. In addition, we run training programmes to help our clients get the most out of the technology they have installed.

As a leading supplier of surface-finishing chemicals and systems, Uyemura Hong Kong remains steadfastly committed to manufacturing in an environmentally friendly and sustainable manner.

上村（香港）利用母公司精进的研发知识及技术，透过对产品不断创新，一直能满足业界瞬息万变的需求。本公司致力于提供增值服务，目前在深圳、珠海、上海、苏州及烟台拥有技术及服务中心网络，并计划在中国其他地区进一步扩张。

不论在产品周期之前、之内或之后，我们都会提供全面的产品开发支援及技术服务，帮助客户降低成本并达到一切品质要求。我们经验丰富的工程师及技术人员，可随时向客户提供现场咨询、技术服务及故障修理支援。我们亦会向客户员工提供培训，帮助他们更有效地利用我们所提供的技术。

作为表面处理化工药品及设备的领先供应商，上村（香港）一直坚持以环保及可持续的方式进行生产。



Features of Polishing Compound

研磨腊性能一览表

应用范围	▲ 适合	● 佳	● 特佳			
性能	低 ◀ ✓	✓	✓✓	✓✓✓	✓✓✓✓	▶ 高



型号 Model	适用金属及性能 Application & Features										适用布轮 Buff	重量 (克/条) ±10g Weight (g/piece)	包装 (条/箱) Packaging (Piece/box)
	锌合金 Zinc Alloy	铝及合金 Aluminum Alloy	铜及合金 Copper Alloy	不锈钢 Stainless Steel	钢/铁 Steel/Iron	钛 Titanium	塑胶 Plastic	油脂含量 Oil	切削能力 Cutting Power	光泽度 Brightness			
600S		▲	▲	▲	▲	▲		✓	✓✓	✓	棉、麻、砂轮 Cotton, Sisal, Emery buff	800克/g	25条/Piece
970	▲	▲	▲	●	●	▲		✓✓	✓✓✓	✓	棉、麻、砂轮 Cotton, Sisal, Emery buff	800克/g	25条/Piece
T-1	●	▲	●					✓	✓✓	✓✓✓	棉、麻 Cotton, Sisal	800克/g	25条/Piece
3BZ	●	▲	▲					✓	✓✓	✓✓	棉、麻 Cotton, Sisal	800克/g	25条/Piece



TRIPOLI 黄腊

Rough Polishing 粗磨

Tripoli series have wide variety of application, it is designed for rough polishing on steel and stainless steel when use with emery buff. It also suitable for polishing on aluminium, copper, brass & zinc alloy. It could make metal work piece smooth, bright and degrease easily before electroplating.

应用范围十分广泛。配合砂布使用，可为一般钢材、不锈钢等进行磨平抛光工序。而用于铝、青铜、锌合金等工件上，可选至精细镜面研磨效果。此一系列优质产品，其特性包括使镀前件容易脱脂，基本金属产生高平滑度及优良光泽性。

Features of Polishing Compound

研磨腊性能一览表

应用范围	▲ 适合	● 佳	● 特佳				
性能	低 ◀ √	√	√	√	√	√	▶ 高



型号 Model	适用金属及性能 Application & Features										适用布轮 Buff	重量 (克/条) ±10g Weight (g/piece)	包装 (条/箱) Packaging (Piece/box)
	锌合金 Zinc Alloy	铝及合金 Aluminum Alloy	铜及合金 Copper Alloy	不锈钢 Stainless Steel	钢/铁 Steel/Iron	钛 Titanium	塑胶 Plastic	油脂含量 Oil	切削能力 Cutting Power	光泽度 Brightness			
V				●				√√√√	√√√√	√√	麻布轮 Sisal Buff	1000克/g	20条/Piece
VM				●				√√√	√√√√	√√	麻布轮 Sisal Buff	1000克/g	20条/Piece
U-Lime White		●	●	●				√	√	√√√	棉、麻布轮 Cotton, Sisal buff	900克/g	20条/Piece
B-1		▲		▲				√√	√√	√√	棉、麻布轮 Cotton, Sisal buff	1000克/g	20条/Piece
D		▲	▲	●				√√√	√√√	√√√	棉、麻布轮 Cotton, Sisal buff	1000克/g	20条/Piece
B-3		▲	▲	▲				√√	√√	√	棉、麻布轮 Cotton, Sisal buff	1000克/g	20条/Piece
X		▲		▲				√√	√	√√√	棉、麻布轮 Cotton, Sisal buff	1000克/g	20条/Piece



CUTTER 紫腊

Medium Polishing 中磨

Cutter series suitable for polishing and finishing on steel, stainless steel, copper, brass and aluminum. Through our special formulation, well experience, strict quality control & raw-material selection, Cutter series could help customer to reduce production cost and improve product quality.

适合一般钢材、不锈钢、铜、黄铜、铝材进行中至精细研磨。透过精心设计的配方、丰富的生产经验，严格品质控制与选料，紫腊 CUTTER 系列定能帮助用户节省人力成本，提高产品素质。

Features of Polishing Compound

研磨腊性能一览表

应用范围	▲ 适合	● 佳	● 特佳
性能	低 ◀ ✓	✓	✓✓
		✓✓✓	✓✓✓✓ ▶ 高



型号 Model	适用金属及性能 Application & Features										适用布轮 Buff	重量 (克/条) ±10g Weight (g/piece)	包装 (条/箱) Packaging (Piece/box)
	锌合金 Zinc Alloy	铝及合金 Aluminum Alloy	铜及合金 Copper Alloy	不锈钢 Stainless Steel	钢/铁 Steel/Iron	钛 Titanium	塑胶 Plastic	油脂含量 Oil	切削能力 Cutting Power	光泽度 Brightness			
3B		▲	●	●			▲	✓✓	✓	✓✓✓✓	棉、扣布轮 Cotton Buff	870克/g	20条/Piece
C		▲	▲	▲			▲	✓✓✓	✓	✓✓	棉、扣布轮 Cotton Buff	850克/g	20条/Piece
GREEN ROUGE (超精磨)													
G-1	●	●	●	●	▲	●		✓	✓✓	✓✓✓✓	棉、扣布轮 Cotton Buff	500克/g	30条/Piece
G-2	▲	▲	●	●	▲	▲		✓	✓✓	✓✓✓	棉、扣布轮 Cotton Buff	500克/g	30条/Piece
NO.1	▲	▲	▲	▲	▲			✓	✓✓✓	✓✓	棉、扣布轮 Cotton Buff	500克/g	30条/Piece



GREEN LIME 青腊

Bright Polishing 精磨

According to customer more concern on the appearance of the product, thus the requirement on smoothness and brightness of the work piece increased, such as cookware & decorative product. Green lime series is special designed for bright finishing on different type of metal.

顾客对产品外观的要求日渐提高，工件的表面光泽、平滑度皆十分重要。例如餐具、建筑上装饰用之五金制品或黄铜装饰品等。青腊 GREEN 系列选用独特配方与材料制成绝不会在工件上造成任何轻微划痕。

Features of Polishing Compound

研磨蜡性能一览表

应用范围	▲ 适合	● 佳	● 特佳				
性能	低 ◀ √	√	√	√	√	√	▶ 高



型号 Model	适用金属及性能 Application & Features										通用布轮 Buff	重量 (克/条) ±10g Weight (g/piece)	包装 (条/箱) Packaging (Piece/box)
	锌合金 Zinc Alloy	铝及合金 Aluminum Alloy	铜及合金 Copper Alloy	不锈钢 Stainless Steel	钢/铁 Steel/Iron	钛 Titanium	塑胶 Plastic	油脂含量 Oil	切削能力 Cutting Power	光泽度 Brightness			
Match Lime		▲	●	▲			●	√	√	√	棉、扣布轮 Cotton Buff	860克/g	20条/Piece
Match Lime A		▲	●	▲			●	√	√	√	棉、扣布轮 Cotton Buff	860克/g	20条/Piece
White Lime 100		▲	▲	▲	▲			√	√	√	棉、扣布轮 Cotton Buff	860克/g	20条/Piece
SF-230		▲	●	▲		●	●	√	√	√	棉、扣布轮 Cotton Buff	700克/g	20条/Piece
SF-330		▲	●	▲		●	●	√	√	√	棉、扣布轮 Cotton Buff	700克/g	20条/Piece
White Lime NO.5		●		●	▲		●	√	√	√	棉、扣布轮 Cotton Buff	340克/g	30条/Piece



WHITE LIME 白蜡

Bright Polishing 精磨

White Lime series is suitable for polishing and finishing on steel, stainless steel, copper, copper alloy, aluminum. Through our special formulation, well experience, strict quality control & raw-material selection, White Lime series could help customer to reduce production cost and improve product quality. Highly recommend for polishing on plastic.

适用一般钢材、铜、黄铜、铝材进行中至精细研磨。透过精心设计的配方，丰富的生产经验，严格品质控制与选料。尤其特别适合塑胶。

Features of Polishing Compound

研磨腊性能一览表

应用范围	▲ 适合	● 佳	● 特佳		
性能	低 ◀ ✓	✓	✓✓	✓✓✓	✓✓✓✓ ▶ 高



型号 Model	适用金属及性能 Application & Features										适用布轮 Buff	重量 (克/条) ±10g Weight (g/piece)	包装 (条/箱) Packaging (Piece/box)
	锌合金 Zinc Alloy	铝及合金 Aluminum Alloy	铜及合金 Copper Alloy	不锈钢 Stainless Steel	钢/铁 Steel/Iron	钛 Titanium	塑胶 Plastic	油脂含量 Oil	切削能力 Cutting Power	光泽度 Brightness			
SF-221		▲	●	▲		●	▲	✓✓	✓✓	✓✓✓✓	棉·扣布轮 Cotton Buff	340克/g	30条/Piece
SF-285		▲	▲	▲		●	▲	✓✓	✓✓	✓✓✓✓	棉·扣布轮 Cotton Buff	340克/g	30条/Piece



BLUE LIME 蓝腊

Super Mirror Polishing
超精磨

Super fine series (SF) is special designed for mirror finishing. SF series is composed of high grade aluminum oxide, which is chromium free that could reduce pollution in the factory.
Highly recommend for polishing on Titanium.

SUPER FINE SF 系列研磨腊是为制造完美明亮的镜面光泽效果而研制的新型号产品。SF 系列的成份是精选的氧化铝，绝不含铬。可避免铬化合物对工場造成污染。尤其特别适合钛合金。



Polishing Compound - Liquid Type

液体抛光膏

应用范围	▲ 适合	● 佳	● 特佳
性能	低 ◀ √	√	√
		√	√
		√	√
		√	√
			▶ 高



型号 Model	适用金属及性能 Application & Features										适用布轮 Buff	包装 (公斤/桶) Packaging (kg/drum)
	锌合金 Zinc Alloy	铝及合金 Aluminum Alloy	铜及合金 Copper Alloy	不锈钢 Stainless Steel	钢/铁 Steel/Iron	钛 Titanium	塑胶 Plastic	油脂含量 Oil	切削能力 Cutting Power	光澤度 Brightness		
WY-1		▲	▲	▲			▲	√	√	√	棉、麻布轮 Cotton, Sisal Buff	50 kg
WY-2		▲	▲	●			▲	√	√	√	棉、麻布轮 Cotton, Sisal Buff	50 kg
WG-1		▲	▲	●			▲	√	√	√	棉、麻布轮 Cotton, Sisal Buff	50 kg
WW-1		▲	▲	●				√	√	√	棉、麻布轮 Cotton, Sisal Buff	50 kg



Barrel Compound - Dry Type

滚筒干式研磨膏



型号 Model	适用金属及性能 Application & Features										适用磨料 Abrasive	包装 (公斤/桶) Packaging (kg/drum)
	锌合金 Zinc Alloy	铝及合金 Aluminum Alloy	铜及合金 Copper Alloy	不锈钢 Stainless Steel	钢/铁 Steel/Iron	钛 Titanium	塑胶 Plastic	油脂含量 Oil	切削能力 Cutting Power	光澤度 Brightness		
U-Paste 1000	▲	▲	●	▲			▲	√	√	√	核桃壳、玉米芯 Walnut, Corn	18 kg
U-Paste 2000	▲	▲	●	▲			▲	√	√	√	核桃壳、玉米芯 Walnut, Corn	18 kg
US-Paste 1000	▲	▲	●	▲			▲	√	√	√	核桃壳、玉米芯 Walnut, Corn	20 kg
US-Paste 2000	▲	▲	●	▲			▲	√	√	√	核桃壳、玉米芯 Walnut, Corn	20 kg

Uyemura's polishing compound can be applied to the surface treatment in different business

上村抛光腊适合各行业之表面处理使用



TRIPOLI • 黄腊
Rough Polishing
粗磨

WHITE LIME • 白腊
Bright Polishing
精磨

BLUE LIME • 蓝腊
Super Mirror Polishing
超精磨



行业 Industry	工件 Work Pieces	程序 Process	建议使用型号 Recommended Model
眼镜 Optical Glass Frame	眼镜 (塑胶) Glass Frame (Plastic)	粗磨 (Rough Polishing)	黄腊 (Tripoli) 970
		中磨 (Medium Polishing)	紫腊 (Cutter) B-1, D
		精磨 (Bright Polishing)	白腊 (White Lime) SF-230
		超精磨 (Super Mirror Polishing)	—
	眼镜 (一般金属) Glass Frame (Metal)	粗磨 (Rough Polishing)	黄腊 (Tripoli) 970
		中磨 (Medium Polishing)	紫腊 (Cutter) B-1, D
		精磨 (Bright Polishing)	白腊 (White Lime) SF-230, SF-330
		超精磨 (Super Mirror Polishing)	—
	眼镜 (钛金属) Glass Frame (Titanium)	粗磨 (Rough Polishing)	黄腊 (Tripoli) T-1
		中磨 (Medium Polishing)	紫腊 (Cutter) V, VA, D
		精磨 (Bright Polishing)	白腊 (White Lime) SF-230, G-1
		超精磨 (Super Mirror Polishing)	蓝腊 (Blue Lime) 512

Uyemura's polishing compound can be applied to the surface treatment in different business

上村抛光腊适合各行业之表面处理使用



TRIPOLI · 黄腊

Rough Polishing 粗磨




CUTTER · 紫腊

Medium Polishing 中磨



GREEN LIME · 青腊

Bright Polishing 精磨



WHITE LIME · 白腊

Bright Polishing 精磨



行业 Industry	工件 Work Pieces	程序 Process	建议使用型号 Recommended Model
手表 Watch	手表(不锈钢) Watch (Stainless steel)	粗磨(Rough Polishing)	黄腊(Tripoli) T-1, 970
		中磨(Medium Polishing)	紫腊(Cutter) D, B-1, V
		精磨(Bright Polishing)	青腊(Green Lime) C, 3B
		超精磨(Super Mirror Polishing)	青腊(Green Lime) G-1
	手表(铜、铝合金) Watch (Copper, Aluminum alloy)	粗磨(Rough Polishing)	黄腊(Tripoli) T-1, 970
		中磨(Medium Polishing)	紫腊(Cutter) B-1
		精磨(Bright Polishing)	青腊(Green Lime) 3B, C
		超精磨(Super Mirror Polishing)	青腊(Green Lime) G-1, 3B
首饰 Jewelry	K金首饰 Gold-K	粗磨(Rough Polishing)	白腊(White Lime) A
		中磨(Medium Polishing)	——
		精磨(Bright Polishing)	青腊(Green Lime) C
		超精磨(Super Mirror Polishing)	青腊(Green Lime) G-1
	白金首饰 Platinum	粗磨(Rough Polishing)	白腊(White Lime) A
		中磨(Medium Polishing)	——
		精磨(Bright Polishing)	青腊(Green Lime) 3B, C
		超精磨(Super Mirror Polishing)	青腊(Green Lime) G-1
手机壳 Handphone case	塑料手机壳 Plastic handphone case	粗磨(Rough Polishing)	黄腊(Tripoli) T-1, 970
		中磨(Medium Polishing)	白腊(White Lime) NO.5
		精磨(Bright Polishing)	青腊(Green Lime) C
		超精磨(Super Mirror Polishing)	——
	铝合金手机壳 Aluminum Alloy case	粗磨(Rough Polishing)	黄腊(Tripoli) T-1, 970
		中磨(Medium Polishing)	白腊(White Lime) NO.5
		精磨(Bright Polishing)	白腊(White Lime) SF-230, SF-330
		超精磨(Super Mirror Polishing)	——
	不锈钢手机壳 Stainless steel case	粗磨(Rough Polishing)	黄腊(Tripoli) T-1, 970
		中磨(Medium Polishing)	紫腊(Cutter) B-1, D, V
		精磨(Bright Polishing)	白腊(White Lime) NO.5
		超精磨(Super Mirror Polishing)	青腊(Green Lime) G-1

Uyemura's polishing compound can be applied to the surface treatment in different business


上村抛光腊适合各行业之表面处理使用



TRIPOLI · 黄腊
Rough Polishing
粗磨

CUTTER · 紫腊
Medium Polishing
中磨

GREEN LIME · 青腊
Bright Polishing
精磨



行业 Industry	工件 Work Pieces	程序 Process	建议使用型号 Recommended Model
餐具 Tableware/ Cookware	不锈钢厨具、餐具 Stainless steel tableware/ cookware	粗磨 (Rough Polishing)	黄腊 (Tripoli) T-1, 970
		中磨 (Medium Polishing)	紫腊 (Cutter) D, V, VM
		精磨 (Bright Polishing)	青腊 (Green Lime) C
		超精磨 (Super Mirror Polishing)	青腊 (Green Lime) G-1, 3B
小五金 Metal Accessories	皮带扣、打火机、 灯饰、门拉手 Buckle, Lighter, Lamp, Door handle	粗磨 (Rough Polishing)	黄腊 (Tripoli) T-1, 970
		中磨 (Medium Polishing)	紫腊 (Cutter) B-1
		精磨 (Bright Polishing)	青腊 (Green Lime) C
		超精磨 (Super Mirror Polishing)	青腊 (Green Lime) G-1

Information for Polishing

研磨助剂资料

Barrel Compound – Dry Type · 滚筒干式研磨膏资料

Made in Japan 日本制造

产品名称 Product	规格 Packaging	产品特性 Features
U-paste 1000	18kg/ 桶 drum	① Product is a white color polishing paste. 本产品是一种白色膏状研磨剂。
		② Apply to all metal for rough polishing and polishing with liquid buffing compound to obtain excellent brightness. 适用于一切金属粗磨工序，配合精研磨浆使用，可获更佳精光的光亮效果。
U-paste 2000	18kg/ 桶 drum	① Product is a white color polishing paste.. 本产品是一种白色膏状研磨剂。
		② Apply to all metal fine polish finishing and obtain excellent brightness. 适用于一切金属精细研磨抛光加工，打磨后可获精光效果。

Made in China 中国制造

产品名称 Product	规格 Packaging	产品特性 Features
US-paste 1000	20kg/ 桶 drum	① Product is a white color polishing paste. 本产品是一种白色膏状研磨剂。
		② Apply to all metal for rough polishing and polishing with liquid buffing compound to obtain excellent brightness. 适用于一切金属粗磨工序，配合精研磨浆使用，可获更佳精光的光亮效果。
US-paste 2000	20kg/ 桶 drum	① Product is a white color polishing paste. 本产品是一种白色膏状研磨剂。
		② Apply to all metal fine polish finishing and obtain excellent brightness. 适用于一切金属精细研磨抛光加工，打磨后可获精光效果。

上村(香港)有限公司 • Uyemura International (Hong Kong) Co., Ltd.

香港荃湾青山道388号中国染厂大厦12楼G室
Unit G, 12/F., CDW Building, 388 Castle Peak Road, Tsuen Wan, Hong Kong
Tel: 852-2414 4251
Fax: 852-2413 6266
Email: info@uyemura.com.hk
Website: www.uyemura.com.hk

上村工业(深圳)有限公司 • Uyemura (Shenzhen) Co., Ltd.

深圳市坪山新区大工业区青松路52号 邮编: 518118
No. 52, Qing Song Road, Grand Industrial Zone,
Pingshan New District, Shenzhen, 518118, China
Tel: (86) 755-8992 9668
Fax: (86) 755-8992 9669

南山办事处 • Nanshan Office

深圳市南山区南海大道西海岸大厦10楼C及D室 邮编: 518054
Unit C & D, 10/F., West Coast Building, Nantai Dadao,
Nanshan District, Shenzhen, 518054, China
Tel: (86) 755-2665 0087
Fax: (86) 755-2664 2427

上村化学(上海)有限公司 • Uyemura (Shanghai) Co., Ltd.

上海市黄浦区汉口路266号申大厦10楼1001-1003室 邮编: 200001
Rm1001-1003, 10/F, Shen Building, No.266 Hankou Road,
Huangpu Area, Shanghai, 200001, China
Tel: (86) 21-6323 8833
Fax: (86) 21-6323 5283



www.uyemura.com.hk